



Winnie Industries

MANUFACTURER OF FASTENING SUPPORTS

Magnetic

100lb Magnetic J Hook for Wall Mount



Amazing strength, cost-effective, and versatile cable management solution for network cable pathway applications



Features:

- Time saving and cost-effective alternative compared to using mesh cable basket or ladder tray
- Super-strong neodymium rare earth magnet provides a secure hold onto any ferromagnetic surface
- Protective steel cup directs magnetic field to fastening surface increasing magnetic pull force
- Nickel-plated cup provides excellent wear resistance & hardness
- Sticks through oil, grease, and dirty areas
- Magnets will not interfere with ethernet or Wi-Fi signals
- Heavy duty pre-galvanized steel
- Smooth rounded edges for the proper bend radius of cables
- Use with category cable, low-voltage wire, coax, innerduct and flexible conduit & tubing
- Provides excellent support for CAT5e, CAT6, CAT6A, CAT7 and fiber optic cables
- Includes wire cable retainer clip*
- UL & CUL listed
- Complies with NEC® and TIA/EIA requirements for structured cabling systems

Application:

- Provides support in the distribution of wire & cable bundles
 - Telcom/Voice
 - Network/Data
 - Fiber
 - Broadband, Satellite, CCTV
 - Low Voltage/Security
 - Flexible Conduit

Installation:

- Attaches to steel beams, metal joists and other ferromagnetic surfaces



WJH96 is not UL listed

*WJH12xx uses bendable tab for securing wires

engineered and manufactured to make installs easier

winnieindustries.com



5420 Newport Dr. Unit 62
Rolling Meadows, IL 60008

224-993-0011
sales@winnieindustries.com



Magnetic

Part Numbers

Part #	Description	Box Qty	12-digit UPC
WJH12MAG	3/4" J Hook, 100 lb Magnet, Wall Mount	100	811443030116
WJH21MAG	1 5/16" J Hook, 100 lb Magnet, Wall Mount	100	811443031069
WJH32MAG	2" J Hook, 100 lb Magnet, Wall Mount	100	811443031083
WJH64MAG	4" J Hook, 100 lb Magnet, Wall Mount	25	811443031106
WJH96MAG	6" J Hook, 100 lb Magnet, Wall Mount	25	811443031458



- | Ready to use out of the box, saving installation time and labor |
- | Permanent fixation but still provides the flexibility to be repositioned where needed |
- | Extremely strong, versatile, reliable, and durable in a slim profile design |
- | High-quality, compact neodymium magnet with super-strong adhesive force |
- | Non-continuous supports may not exceed spacing of 5' per TIA 569-C.9.7 |

Cable Capacity

Part Number	Hook Size	Area (sq in)	Cat 5e	Cat 6	Cat 6A	Cat 7 ScTP/FTP	RG59	RG6
Cable Diameter (inches)			0.19	0.24	0.3	0.33	0.24	0.3
WJH12*	3/4"	0.6	16	10	6	5	9	8
WJH21*	1 5/16"	2.16	53	33	20	18	33	28
WJH32*	2"	3.17	80	50	34	26	48	42
WJH64*	4"	15.28	370	230	150	125	235	200
WJH96*	6"		370	230	150	125		


Cable capacity is based on 70% fill
 Consult & follow local codes and practices
 Category cable outside diameter varies by type and manufacturer; consult with cable manufacturer to ensure proper cable outside diameter is being used for calculations



*We understand that not all projects can be fulfilled with off-the-shelf products which is why our Quick Build program can deliver j hook trees or other custom configurations **FAST!!***

Magnet Specifications:

- Size: 53 x 10mm
- Threaded Hole: 1/4 x 20
- Magnet Grade: N35
- Material: Nickel (NiCuNi)
- Temperature Tolerance: -40°F - 176°F (-40°C - 80°C)
- Cup: Nickel-plated steel



engineered and manufactured to make installs easier





Winnie Industries

MANUFACTURER OF FASTENING SUPPORTS

Magnetic



All WJH21, WJH32, WJH64 styles include retaining clips. WJH12 has a bendable tab.



All J Hook attachments use screw and locknut construction, for easy removal.



All J Hooks are easily customized with 14 different fasteners and support brackets for any application.

Related Items

Part #	Description
WMAG1420	100 lb Mounting Pot Magnet, 1/4-20 Thread
WJH21ACMAG	1 5/16" J Hook, 100 lb Magnet, Overhead Mount
WJH32ACMAG	2" J Hook, 100 lb Magnet, Overhead Mount
WUMAG-WJH21	1 5/16" J Hook, 150 lb Magnet, Wall Mount
WUMAG-WJH32	2" J Hook, 150 lb Magnet, Wall Mount
075GRIPTAPE	.75" Self-Gripping Tape (Hook & Loop), 75 Ft Roll, Black

Protective steel cup directs magnetic field to fastening surface increasing magnetic pull force



Specify Winnie...

- ✓ Since 2015
- ✓ Family-Owned & Operated
- ✓ Personal & Friendly Customer Service

Safety:

- Please handle neodymium magnets with care
- Keep neodymium magnets away from anyone with a pacemaker
- Magnets are not toys and should be kept away from children and pets
- Large powerful magnets can pinch your fingers or cause other injuries, use caution



© Winnie Industries, LLC. All Rights Reserved. Drawings are proprietary and may not be copied or used without express written permission.

Rev 202405

engineered and manufactured to make installs easier

winnieindustries.com



5420 Newport Dr. Unit 62
Rolling Meadows, IL 60008

224-993-0011
sales@winnieindustries.com